

# Bearing Internal Clearance and Preload


NTN

## 8. Bearing internal clearance and preload

### 8.1 Bearing internal clearance

Bearing internal clearance is the amount of internal free movement before mounting. As shown in Fig. 8.1, when either the inner ring or the outer ring is fixed and the other ring is free to move, displacement can take place in either an axial or radial direction. This amount of displacement (radially or axially) is termed the internal clearance and, depending on the direction, is called the **radial internal clearance** or the **axial internal clearance**.

When the internal clearance of a bearing is measured, a slight measurement load is applied to the raceway so the internal clearance may be measured accurately. However, at this time, a slight amount of elastic deformation of the bearing occurs under the measurement load, and the clearance measurement value (measured clearance) is slightly larger than the true clearance. This difference between the true bearing clearance and the increased amount due to the elastic deformation must be compensated for. These compensation values are given in Table 8.1. For roller bearings the amount of elastic deformation is small enough to be ignored. The internal clearance values for each bearing class are shown in Table 8.8 through Table 8.16.



Radial internal clearance =  $\delta$   
Axial internal clearance  $\approx \delta_1 + \delta_2$

Fig. 8.1 Internal clearance

### 8.2 Selection of internal clearance

The internal clearance of a bearing **under operating conditions** (effective clearance) is **usually smaller** than the initial clearance before being installed and operated. This is due to several factors including bearing fit, the difference in temperature between the inner and outer rings, etc. As a bearing's operating clearance has an effect on bearing life, heat generation, vibration, noise, etc.; care must be taken in selecting the most suitable operating clearance.

#### 8.2.1 Criteria for selecting bearing internal clearance

A bearing's life is theoretically at its maximum when operating clearance is slightly negative in steady operation. However, in reality it is difficult to constantly maintain this optimal condition. If the negative clearance becomes larger by fluctuating operating conditions, heat will be produced and the life will decrease severely. Under normal circumstances, a **study should be performed to select an operating clearance slightly larger than zero**. For ordinary operating conditions, use fitting for ordinary loads. If rotational speed and operating temperature are ordinary, selecting normal clearance enables you to obtain the proper operating clearance.

Table 8.2 gives examples applying internal clearances other than CN (normal) clearance.

For the relationship between clearance and life, see the section of "3.8 Clearance and life".

Table 8.1 Adjustment of radial internal clearance based on measured load (deep groove ball bearing) Unit:  $\mu\text{m}$

Nominal bearing bore diameter $d$ mm	Measuring Load N	Adjustment of internal clearance				
		C2	CN	C3	C4	C5
Over	Incl.					
10(included)	18	24.5	3-4	4	4	4
	18	49	4-5	5	6	6
	50	147	6-8	8	9	9

# Bearing Internal Clearance and Preload

NTN

Table 8.2 Examples of applications where bearing clearances other than CN (normal) clearance are used

Operating conditions	Applications	Selected clearance
With a heavy or shock load, high fit.	Railway vehicle axles	C3
	Vibration screens	C3, C4
With an indeterminate load, both inner and outer rings are tight fit.	Railway vehicle traction motors	C4
	Tractors and final reduction gear	C4
Shaft or inner ring is heated.	Paper making machines and driers	C3, C4
	Table rollers for rolling mill	C3
Required low noise and vibration when rotating.	Small electric motors	C2, CM
Adjustment of clearance to minimize shaft runout.	Main spindles of lathes (Double-row cylindrical roller bearings)	C9NA, CONA
Loose fit for both inner and outer rings.	Roll neck of steel mill	C2

#### 8.2.2 Calculation of operating clearance

Operating clearance of a bearing can be calculated from initial bearing internal clearance and considering the decrease in clearance due to fitting and the difference in temperature of the inner and outer rings.

$$\Delta_e = \Delta_0 - (\delta_f + \delta_t) = \Delta_f - \delta_t \quad (8.1)$$

Where:

$\Delta_e$ : Effective internal clearance, mm

$\Delta_0$ : Bearing internal clearance (initial), mm

$\Delta_f$ : Residual clearance (clearance after preloading), mm

$\delta_f$ : Reduced amount of clearance due to fitting, mm

$\delta_t$ : Reduced amount of clearance due to temperature differential of inner and outer rings, mm

#### (1) Reduced clearance due to fitting

When bearings are installed with interference fits on shafts and in housings, the inner ring will expand and the outer ring will contract; **thus reducing the bearings' internal clearance**. The amount of expansion or

contraction varies depending on the shape of the bearing, the shape of the shaft or housing, dimensions of the respective parts, and the type of materials used. The differential can range from **approximately 70 to 90 % of the effective interference**.

$$\delta_f = (0.70 \text{ to } 0.90) \Delta d_{eff} \quad (8.2)$$

Where:

$\delta_f$ : Reduced amount of clearance due to interference, mm

$\Delta d_{eff}$ : Effective interference, mm

#### (2) Residual clearance

When the reduced clearance due to interference is calculated using the expansion rate and the contraction rate of each bearing, the residual clearance is calculated by the formula below.

##### 1) Calculation considering distribution

Assume that the initial clearance, bearing inner ring bore diameter, bearing outer ring outside diameter, shaft outside diameter, and housing bore diameter follow the normal distribution. The residual clearance is generally calculated as the range of percent defective.

When each dimension and clearance follow the normal distribution and the percent defective is 0.26 % (standard range =  $\pm 3\sigma$ ), residual clearance  $\Delta_f$  can be represented by the formula below.

$$\Delta_f = \Delta_{fm} \pm 3\sigma_{\Delta f} \quad (8.3)$$

Where:

$\Delta_f$ : Residual clearance, mm

$\Delta_{fm}$ : Average value of standard clearance, mm

$\sigma_{\Delta f}$ : Standard deviation of residual clearance

For the average values and standard deviation of residual clearance, see Table 8.3 and Table 8.4.

## Bearing Internal Clearance and Preload

NTN

### 2) Calculation by direct sum

When the use condition is severe and calculation is to be done under the worst condition, the maximum and minimum values of each dimension are used for direct sum.

$$\begin{aligned}\Delta f_{\max} &= \Delta o_{\max} - \lambda_i \Delta d_{\min} - \lambda_o \Delta D_{\min} \\ \Delta f_{\min} &= \Delta o_{\min} - \lambda_i \Delta d_{\max} - \lambda_o \Delta D_{\max}\end{aligned}\quad (8.4)$$

Where:

- $\Delta f_{\max}$   $\Delta f_{\min}$ : Maximum and minimum values of residual clearance, mm
- $\Delta o_{\max}$   $\Delta o_{\min}$ : Maximum and minimum values of initial clearance, mm
- $\Delta d_{\max}$   $\Delta d_{\min}$ : Maximum and minimum values of inner ring interference, mm
- $\Delta D_{\max}$   $\Delta D_{\min}$ : Maximum and minimum values of outer ring interference, mm
- $\lambda_i$   $\lambda_o$ : Inner ring expansion rate, outer ring contraction rate (see Table 8.5)

Table 8.3 Average value and standard deviation of residual clearance

Inner ring fit condition	Outer ring fit condition	$\Delta_{fm}$ (Average value of residual clearance)	$\sigma_{\Delta f}$ (Standard deviation of residual clearance)
Tight fit	Loose fit	$\Delta_{0m} - \lambda_i \cdot \Delta_{dm}$	$\sqrt{\sigma_{\Delta 0}^2 + \lambda_i^2 \cdot \sigma_{\Delta d}^2}$
	Tight fit	$\Delta_{0m} - \lambda_i \cdot \Delta_{dm} - \lambda_o \cdot \Delta_{Dm}$	$\sqrt{\sigma_{\Delta 0}^2 + \lambda_i^2 \cdot \sigma_{\Delta d}^2 + \lambda_o^2 \cdot \sigma_{\Delta D}^2}$
Loose fit	Loose fit	$\Delta_{0m}$	$\sigma_{\Delta 0}$
	Tight fit	$\Delta_{0m} - \lambda_o \cdot \Delta_{Dm}$	$\sqrt{\sigma_{\Delta 0}^2 + \lambda_o^2 \cdot \sigma_{\Delta D}^2}$

Table 8.4 Symbols and formulas used for calculation

		Average value	Standard deviation	Standard range
Shaft diameter	$D_s$	$D_{sm}$	$\sigma_{Ds} = \frac{R_{Ds}}{6}$	$R_{Ds}$
Inner ring bore diameter	$d$	$d_m$	$\sigma_d = \frac{R_d}{6}$	$R_d$
Inner ring interference	$\Delta_d$	$\Delta_{dm} = D_{sm} - d_m$	$\sigma_{\Delta d} = \sqrt{\sigma_{Ds}^2 + \sigma_d^2}$	
Housing bore diameter	$d_h$	$d_{hm}$	$\sigma_{dh} = \frac{R_{dh}}{6}$	$R_{dh}$
Outer ring outside diameter	$D$	$D_m$	$\sigma_D = \frac{R_D}{6}$	$R_D$
Outer ring interference	$\Delta_D$	$\Delta_{Dm} = D_m - d_{hm}$	$\sigma_{\Delta D} = \sqrt{\sigma_D^2 + \sigma_{dh}^2}$	
Initial clearance	$\Delta_0$	$\Delta_{0m}$	$\sigma_{\Delta 0} = \frac{R_{\Delta 0}}{6}$	$R_{\Delta 0}$
Residual clearance	$\Delta_f$	$\Delta_{fm}$	$\sigma_{\Delta f}$	
Inner ring expansion rate	$\lambda_i$	See Table 8.5		
Outer ring contraction rate	$\lambda_o$			

Note: When the linear expansion coefficient difference or the temperature difference of the outer ring and the housing or the inner ring and the shaft are to be considered, it is necessary to first calculate using the bearing inner ring bore diameter, bearing outer ring outside diameter, shaft outside diameter, and housing bore diameter before and after the expansion/contraction and then calculate the expansion rate of the raceway and the effective interference.

## Bearing Internal Clearance and Preload

NTN

Table 8.5 Expansion rate and contraction rate of raceway diameter

Fit condition	Calculation item	Calculation formula	Symbol (Unit: mm)
Fit of inner ring and shaft (when the inner ring and the shaft are solid steel)	Inner ring expansion rate	$\lambda_i = \frac{d}{D_i}$	$d$ : Inner ring bore diameter or shaft diameter $d_s$ : Hollow shaft bore diameter $D_i$ : Inner ring average raceway diameter (see Table 8.7)
		$\lambda_i = \frac{d}{D_i} \cdot \frac{\left\{ 1 - \left( \frac{d_s}{d} \right)^2 \right\}}{1 - \left\{ \left( \frac{d}{D_i} \right)^2 \cdot \left( \frac{d_s}{d} \right)^2 \right\}}$	
Fit of inner ring and hollow shaft (when the inner ring and the shaft are solid steel)	Outer ring contraction rate	$\lambda_o = \frac{D_e}{D} \cdot \frac{\left\{ 1 - \left( \frac{D}{D_h} \right)^2 \right\}}{1 - \left\{ \left( \frac{D_e}{D} \right)^2 \cdot \left( \frac{D}{D_h} \right)^2 \right\}}$	$D$ : Outer ring outside diameter, housing bore diameter $D_h$ : Housing outside diameter $D_e$ : Outer ring average raceway diameter (see Table 8.7)
	Outer ring contraction rate $D_h = \infty$	$\lambda_o = \frac{D_e}{D}$	





Table 8.6 Fit of two cylinders (general expression)

Calculation item	Calculation formula	Symbol (Unit: MPa, mm)
Expansion rate of outer cylinder outside diameter	$\lambda_1 = \frac{E_2 \left( \frac{(d_1^2 + d_2^2)}{(d_1^2 - d_2^2)} + 1 \right)}{E_2 \left\{ \frac{(d_1^2 + d_2^2)}{(d_1^2 - d_2^2)} + v_1 \right\} + E_1 \left\{ \frac{(d_2^2 + d_3^2)}{(d_2^2 - d_3^2)} - v_2 \right\}} \cdot \frac{d_2}{d_1}$	$E_1, E_2$ : Longitudinal elastic modulus of outer and inner cylinders $v_1, v_2$ : Poisson's ratio of outer and inner cylinders
Contraction rate of inner cylinder bore diameter	$\lambda_2 = \frac{E_1 \left( \frac{(d_2^2 + d_3^2)}{(d_2^2 - d_3^2)} + 1 \right)}{E_2 \left\{ \frac{(d_1^2 + d_2^2)}{(d_1^2 - d_2^2)} + v_1 \right\} + E_1 \left\{ \frac{(d_2^2 + d_3^2)}{(d_2^2 - d_3^2)} - v_2 \right\}} \cdot \frac{d_3}{d_2}$	



Note: Table 13.6 (A-143) in the section of "13. Bearing materials" shows the physical property values of the main materials.

## Bearing Internal Clearance and Preload



Table 8.7 Average raceway diameter (approximate expression)

Bearing type		Average raceway diameter (mm)	
		Inner ring ( $D_i$ )	Outer ring ( $D_o$ )
Ball bearings	All types	1.05 $\frac{4d + D}{5}$	0.95 $\frac{d + 4D}{5}$
Self-aligning ball bearings	12	1.03 $\frac{3d + D}{4}$	0.97 $\frac{d + 2D}{3}$
	13, 22	1.03 $\frac{3d + D}{4}$	0.97 $\frac{d + 3D}{4}$
	23	1.03 $\frac{4d + D}{5}$	0.97 $\frac{d + 4D}{5}$
Cylindrical roller bearings <sup>1)</sup>	All types	1.05 $\frac{3d + D}{4}$	0.98 $\frac{d + 3D}{4}$
Spherical roller bearings	Type B, type C, type 213	$\frac{2d + D}{3}$	0.97 $\frac{d + 4D}{5}$
	ULTAGE™ series	$\frac{3d + D}{4}$	0.98 $\frac{d + 5D}{6}$
Tapered roller bearings	All types	$\frac{3d + D}{4}$	$\frac{d + 3D}{4}$

1) Average raceway diameter values when both side ribs are incorporated.

Note:  $d$ : inner ring bore diameter (mm)  $D$ : outer ring outside diameter (mm)

### (3) Reduced internal clearance due to inner/outer ring temperature difference.

During operation, normally the outer ring will range from 5 to 10 °C cooler than the inner ring or rotating parts. However, if the cooling effect of the housing is large, the shaft is connected to a heat source, or a heated substance is conducted through the hollow shaft; the temperature difference between the two rings can be even greater. **The amount of internal clearance is thus further reduced** by the differential expansion of the two rings.

$$\delta_t = \alpha \cdot \Delta T \cdot D_o \quad \dots \quad (8.5)$$

Where:

$\delta_t$  : Reduced amount of clearance due to temperature differential of inner and outer rings, mm

$\alpha$  : Linear thermal expansion coefficient of bearing material,  $12.5 \times 10^{-6}/^\circ\text{C}$

$\Delta T$ : Inner/outer ring temperature differential, °C

$D_o$  : Outer ring raceway diameter, mm

Outer ring raceway diameter,  $D_o$ , values can be approximated by using formula (8.6) or formula (8.7).

For ball bearings and spherical roller bearings,

$$D_o = 0.20 (d + 4.0D) \quad \dots \quad (8.6)$$

For roller bearings (except spherical roller bearings),

$$D_o = 0.25 (d + 3.0D) \quad \dots \quad (8.7)$$

$d$  : Bearing bore diameter, mm

$D$  : Bearing outside diameter, mm

For the ULTAGE™ series bearings, consult NTN Engineering.

Note that the formula in item 8.2.2 only applies to steel bearings, shafts and housings.

"Operating clearance calculation (based on  $3\sigma$ )" can be done by using the bearing technique calculation tool on the NTN website (<https://www.ntnglobal.com>).

## Bearing Internal Clearance and Preload



Unit:  $\mu\text{m}$

Table 8.8 Radial internal clearance of deep groove ball bearings

Nominal bearing bore diameter $d$ mm Over Incl.	C2		CN		C3		C4		C5	
	Min.	Max.								
—	2.5	6	0	6	4	11	10	20	—	—
2.5	6	10	0	7	2	13	8	23	—	29
6	10	—	0	7	2	13	8	23	14	20
10	18	—	0	9	3	18	11	25	18	33
18	24	—	0	10	5	20	13	28	20	36
24	30	1	11	—	5	20	13	28	23	30
30	40	1	11	—	6	20	15	33	28	46
40	50	1	11	—	6	23	18	36	30	51
50	65	1	15	—	8	28	23	43	38	55
65	80	1	15	—	10	30	25	51	46	71
80	100	1	18	—	12	36	30	58	53	84
100	120	2	20	—	15	41	36	66	61	97
120	140	2	23	—	18	48	41	81	71	114
140	160	2	23	—	18	53	46	91	81	130
160	180	2	25	—	20	61	53	102	91	147
180	200	2	30	—	25	71	63	117	107	163
200	225	2	35	—	25	85	75	140	125	195
225	250	2	40	—	30	95	85	160	145	225
250	280	2	45	—	35	105	90	170	155	245
280	315	2	55	—	40	115	100	190	175	270
315	355	3	60	—	45	125	110	210	195	300
355	400	3	70	—	55	145	130	240	225	340
400	450	3	80	—	60	170	150	270	250	380
450	500	3	90	—	70	190	170	300	280	420
500	560	10	100	—	80	210	190	330	310	470
560	630	10	110	—	90	230	210	360	340	520

# Bearing Internal Clearance and Preload



Table 8.9 Radial internal clearance of self-aligning ball bearings

Nominal bearing bore diameter <i>d</i> mm	Cylindrical bore bearing										Unit: $\mu\text{m}$
	C2		CN		C3		C4		C5		
Over	Incl.	Min.	Max.								
2.5	6	1	8	5	15	10	20	15	25	21	33
6	10	2	9	6	17	12	25	19	33	27	42
10	14	2	10	6	19	13	26	21	35	30	48
14	18	3	12	8	21	15	28	23	37	32	50
18	24	4	14	10	23	17	30	25	39	34	52
24	30	5	16	11	24	19	35	29	46	40	58
30	40	6	18	13	29	23	40	34	53	46	66
40	50	6	19	14	31	25	44	37	57	50	71
50	65	7	21	16	36	30	50	45	69	62	88
65	80	8	24	18	40	35	60	54	83	76	108
80	100	9	27	22	48	42	70	64	96	89	124
100	120	10	31	25	56	50	83	75	114	105	145
120	140	10	38	30	68	60	100	90	135	125	175
140	160	15	44	35	80	70	120	110	161	150	210

Table 8.10 (1) Radial internal clearance for duplex angular contact ball bearings Unit:  $\mu\text{m}$

Nominal bearing bore diameter <i>d</i> mm	C1 C2 CN C3 C4					Unit: $\mu\text{m}$					
	Over	Incl.	Min.	Max.	Min.	Max.	Min.	Max.			
—	10	3	8	6	12	8	15	15	22	22	30
10	18	3	8	6	12	8	15	15	24	30	40
18	30	3	10	6	12	10	20	20	32	40	55
30	50	3	10	8	14	14	25	25	40	55	75
50	80	3	11	11	17	17	32	32	50	75	95
80	100	3	13	13	22	22	40	40	60	95	120
100	120	3	15	15	30	30	50	50	75	110	140
120	150	3	16	16	33	35	55	55	80	130	170
150	180	3	18	18	35	35	60	60	90	150	200
180	200	3	20	20	40	40	65	65	100	180	240

Note: The clearance group in the table is applied only to contact angles in the table below.

Contact angle symbol	Nominal contact angle	Applicable clearance <sup>2)</sup>
C	15°	C1, C2
A <sup>1)</sup>	30°	C2, CN, C3
B	40°	CN, C3, C4

1) Not indicated for bearing number.

2) For information concerning clearance other than applicable clearance, please contact NTN Engineering.

# Bearing Internal Clearance and Preload



Table 8.9 Radial internal clearance of self-aligning ball bearings

Nominal bearing bore diameter <i>d</i> mm	Tapered bore bearing										Unit: $\mu\text{m}$
	C2		CN		C3		C4		C5		
Over	Incl.	Min.	Max.								
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—
7	17	13	26	20	33	28	42	37	55	44	62
9	20	15	28	23	39	33	50	44	62	50	72
12	24	19	35	29	46	40	59	52	72	30	40
14	27	22	39	33	52	45	65	58	79	40	50
18	32	27	47	41	61	56	80	73	99	50	65
23	39	35	57	50	75	69	98	91	123	65	80
29	47	42	68	62	90	84	116	109	144	80	100
35	56	50	81	75	108	100	139	130	170	100	120
40	68	60	98	90	130	120	165	155	205	120	140
45	74	65	110	100	150	140	191	180	240	140	160

Table 8.12 Interchangeable radial internal clearance for cylindrical roller bearing (cylindrical bore)

Nominal bearing bore diameter <i>d</i> mm	C2					CN		C3		C4		C5		Unit: $\mu\text{m}$
	Over	Incl.	Min.	Max.	Min.									
—	10	0	25	20	45	35	60	50	75	—	—	—	—	—
10	24	0	25	20	45	35	60	50	75	65	90	70	95	—
24	30	0	25	20	45	35	60	50	75	70	95	75	95	—
30	40	5	30	25	50	45	70	60	85	80	105	85	105	—
40	50	5	35	30	60	50	80	70	100	95	125	100	125	—
50	65	10	40	30	70	60	90	80	110	110	140	110	140	—
65	80	10	45	40	75	65	100	90	125	125	165	125	165	165
80	100	15	50	50	85	75	110	105	140	140	175	140	175	190
100	120	15	55	50	90	85	125	125	165	165	200	165	200	220
120	140	15	60	50	105	100	145	145	190	190	245	190	245	245
140	160	20	70	60	120	115	165	165	215	215	275	165	275	275
160	180	25	75	75	125	120	170	170	220	220	275	170	275	300
180	200	35	90	90	145	140	195	195	250	250	325	195	325	330
200	225	45	105	105	165	160	220	220	280	280	365	220	365	365
225	250	45	110	110	175	170	235	235	300	300	395	235	395	395
250	280	55	125	125	195	190	260	260	330	330	420	190	420	440
280	315	55	130	130	205	200	275	275	350	350	440	200	440	460
315	355	65	145	145	225	225	305	305	385	385	455	225	455	485
355	400	100	190	190	280	280	370	370	460	460	550	190	550	600
400	450	110	210	210	310	310	410	410	510	510	665	210	665	665
450	500	110	220	220	330	330	440	440	550	550	625	220	625	735

Note: 1. Suffix CM is added to bearing numbers.  
Example: 6205 ZZ CM  
2. Clearance not interchangeable for cylindrical roller bearings.

## Bearing Internal Clearance and Preload



Table 8.13 Non-interchangeable radial internal clearance for cylindrical roller bearing

Nominal bearing bore diameter <i>d</i> mm	Over Incl.	Cylindrical bore bearing										Unit: $\mu\text{m}$
		C1NA		C2NA		NA <sup>1)</sup>		C3NA		C4NA		
Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	
—	10	5	10	10	20	20	30	35	45	45	55	—
10	18	5	10	10	20	20	30	35	45	45	55	65
18	24	5	10	10	20	20	30	35	45	45	55	75
24	30	5	10	10	25	25	35	40	50	50	60	70
30	40	5	12	12	25	25	40	45	55	55	70	80
40	50	5	15	15	30	30	45	50	65	65	80	95
50	65	5	15	15	35	35	50	55	75	75	90	110
65	80	10	20	20	40	40	60	70	90	90	110	130
80	100	10	25	25	45	45	70	80	105	105	125	155
100	120	10	25	25	50	50	80	95	120	120	145	180
120	140	15	30	30	60	60	90	105	135	135	160	200
140	160	15	35	35	65	65	100	115	150	150	180	225
160	180	15	35	35	75	75	110	125	165	165	200	250
180	200	20	40	40	80	80	120	140	180	180	220	275
200	225	20	45	45	90	90	135	155	200	200	240	305
225	250	25	50	50	100	100	150	170	215	215	265	330
250	280	25	55	55	110	110	165	185	240	240	295	370
280	315	30	60	60	120	120	180	205	265	265	325	410
315	355	30	65	65	135	135	200	225	295	295	360	455
355	400	35	75	75	150	150	225	255	330	330	405	510
400	450	45	85	85	170	170	255	285	370	370	455	565
450	500	50	95	95	190	190	285	315	410	410	505	625

1) For bearings with normal clearance, only NA is added to bearing numbers. Example: NU310NA

Table 8.14 Axial internal clearance for double row and duplex tapered roller bearings (metric series)

Nominal bearing bore diameter <i>d</i> mm	Over Incl.	Contact $\alpha \leq 27^\circ$ ( $e \leq 0.76$ )								Unit: $\mu\text{m}$
		C2		CN		C3		C4		
Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	
18	24	25	75	75	125	125	170	170	220	
24	30	25	75	75	125	145	195	195	245	
30	40	25	95	95	165	165	235	210	280	
40	50	20	85	85	150	175	240	240	305	
50	65	20	85	110	175	195	260	280	350	
65	80	20	110	130	220	240	325	325	410	
80	100	45	150	150	260	280	390	390	500	
100	120	45	175	175	305	350	480	455	585	
120	140	45	175	175	305	390	520	500	630	
140	160	60	200	200	340	400	540	520	660	
160	180	80	220	240	380	440	580	600	740	
180	200	100	260	260	420	500	660	660	820	
200	225	120	300	300	480	560	740	720	900	
225	250	160	360	360	560	620	820	820	1020	
250	280	180	400	400	620	700	920	920	1140	
280	315	200	440	440	680	780	1020	1020	1260	
315	355	220	480	500	760	860	1120	1120	1380	
355	400	260	560	560	860	980	1280	1280	1580	
400	500	300	600	620	920	1100	1400	1440	1740	
500	560	350	650	750	1050	1250	1550	1650	1950	
560	630	400	700	850	1150	1400	1700	1850	2150	

Note: 1. This table applies to bearings contained in the catalog. For information concerning other bearings or bearings using US customary units, please contact NTN Engineering.

2. The correlation of axial internal clearance ( $\Delta_a$ ) and radial internal clearance ( $\Delta_r$ ) is expressed as  $\Delta_r = 0.667 \times e \times \Delta_a$ .

$e$ : Constant (see dimensions table)

3. The table does not apply to the bearing series 329X, 330, 322C, and 323C, 303C, and T4CB.

## Bearing Internal Clearance and Preload



Unit:  $\mu\text{m}$

Nominal bearing bore diameter <i>d</i> mm	Over Incl.	Tapered bore bearing								Unit: $\mu\text{m}$		
		C9NA <sup>2)</sup>		C0NA <sup>2)</sup>		C1NA		C2NA		NA <sup>1)</sup>		
Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	
5	5	7	17	10	20	20	30	35	45	45	55	10
5	10	7	17	10	20	20	30	35	45	45	55	18
5	10	7	17	10	20	20	30	35	45	45	55	24
5	10	10	20	10	25	25	35	40	50	50	60	30
5	12	10	20	12	25	25	40	45	55	55	70	40
5	15	10	20	15	30	30	45	50	65	65	80	50
5	15	10	20	15	35	35	50	55	75	75	90	65
10	20	15	30	20	40	40	60	70	90	90	110	80
10	25	20	35	25	45	45	70	80	105	105	125	100
10	25	20	35	25	45	45	80	90	115	115	150	120
10	25	20	35	25	45	45	90	100	125	125	175	140
10	25	20	35	25	45	45	100	110	140	140	215	160
10	25	20	35	25	45	45	110	120	145	145	240	180
10	25	20	35	25	45	45	120	130	160	160	265	200
10	25	20	35	25	45	45	130	140	180	180	295	225
10	25	20	35	25	45	45	140	150	185	185	325	250
30	60	45	75	60	120	120	180	180	230	230	325	315
30	65	45	75	65	135	135	200	225	295	295	360	355
35	75	50	90	75	150	150	225	255	330	330	405	355
45	85	60	100	85	170	170	255	285	370	370	455	400
50	95	70	115	95	190	190	285	315	410	410	505	450

2) C9NA, C0NA and C1NA clearances are applied only to precision bearings of JIS Class 5 and higher.

## Bearing Internal Clearance and Preload



Table 8.15 Radial internal clearance of spherical roller bearings

Nominal bearing bore diameter <i>d</i> mm		Cylindrical bore bearing									
		C2		CN		C3		C4		C5	
Over	Incl.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
14	18	10	20	20	35	35	45	45	60	60	75
18	24	10	20	20	35	35	45	45	60	60	75
24	30	15	25	25	40	40	55	55	75	75	95
30	40	15	30	30	45	45	60	60	80	80	100
40	50	20	35	35	55	55	75	75	100	100	125
50	65	20	40	40	65	65	90	90	120	120	150
65	80	30	50	50	80	80	110	110	145	145	180
80	100	35	60	60	100	100	135	135	180	180	225
100	120	40	75	75	120	120	160	160	210	210	260
120	140	50	95	95	145	145	190	190	240	240	300
140	160	60	110	110	170	170	220	220	280	280	350
160	180	65	120	120	180	180	240	240	310	310	390
180	200	70	130	130	200	200	260	260	340	340	430
200	225	80	140	140	220	220	290	290	380	380	470
225	250	90	150	150	240	240	320	320	420	420	520
250	280	100	170	170	260	260	350	350	460	460	570
280	315	110	190	190	280	280	370	370	500	500	630
315	355	120	200	200	310	310	410	410	550	550	690
355	400	130	220	220	340	340	450	450	600	600	750
400	450	140	240	240	370	370	500	500	660	660	820
450	500	140	260	260	410	410	550	550	720	720	900
500	560	150	280	280	440	440	600	600	780	780	1 000
560	630	170	310	310	480	480	650	650	850	850	1 100
630	710	190	350	350	530	530	700	700	920	920	1 190
710	800	210	390	390	580	580	770	770	1 010	1 010	1 300
800	900	230	430	430	650	650	860	860	1 120	1 120	1 440
900	1 000	260	480	480	710	710	930	930	1 220	1 220	1 570
1 000	1 120	290	530	530	780	780	1 020	1 020	1 330	1 330	1 720
1 120	1 250	320	580	580	860	860	1 120	1 120	1 460	1 460	1 870
1 250	1 400	350	640	640	950	950	1 240	1 240	1 620	1 620	2 080

Table 8.16 Axial internal clearance of four points contact ball bearings

Unit:  $\mu\text{m}$

Nominal bearing bore diameter <i>d</i> mm		C2		CN		C3		C4	
		Over	Incl.	Min.	Max.	Min.	Max.	Min.	Max.
17	40	26	66	56	106	96	146	136	186
40	60	36	86	76	126	116	166	156	206
60	80	46	96	86	136	126	176	166	226
80	100	56	106	96	156	136	196	186	246
100	140	66	126	116	176	156	216	206	266
140	180	76	156	136	196	176	236	226	296
180	220	96	176	156	216	196	256	246	316

## Bearing Internal Clearance and Preload



Unit:  $\mu\text{m}$

Tapered bore bearing										Nominal bearing bore diameter <i>d</i> mm	
C2		CN		C3		C4		C5			
Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.	Over	Incl.
—	—	—	—	—	—	—	—	—	—	14	18
15	25	25	35	35	45	45	60	60	75	18	24
20	30	30	40	40	55	55	75	75	95	24	30
25	35	35	50	50	65	65	85	85	105	30	40
30	45	45	60	60	80	80	100	100	130	40	50
40	55	55	75	75	95	95	120	120	160	50	65
50	70	70	95	95	120	120	150	150	200	65	80
55	80	80	110	110	140	140	180	180	230	80	100
65	100	100	135	135	170	170	220	220	280	100	120
80	120	120	160	160	200	200	260	260	330	120	140
90	130	130	180	180	230	230	300	300	380	140	160
100	140	140	200	200	260	260	340	340	430	160	180
110	160	160	220	220	290	290	370	370	470	180	200
120	180	180	250	250	320	320	410	410	520	200	225
140	200	200	270	270	350	350	450	450	570	225	250
150	220	220	300	300	390	390	490	490	620	250	280
170	240	240	330	330	430	430	540	540	680	280	315
190	270	270	360	360	470	470	590	590	740	315	355
210	300	300	400	400	520	520	650	650	820	355	400
230	330	330	440	440	570	570	720	720	910	400	450
260	370	370	490	490	630	630	790	790	1 000	450	500
290	410	410	540	540	680	680	870	870	1 100	500	560
320	460	460	600	600	760	760	980	980	1 230	560	630
350	510	510	670	670	850	850	1 090	1 090	1 360	630	710
390	570	570	750	750	960	960	1 220	1 220	1 500	710	800
440	640	640	840	840	1 070	1 070	1 370	1 370	1 690	800	900
490	710	710	930	930	1 190	1 190	1 520	1 520	1 860	900	1 000
530	770	770	1 030	1 030	1 300	1 300	1 670	1 670	2 050	1 000	1 120
570	830	830	1 120	1 120	1 420	1 420	1 830	1 830	2 250	1 120	1 250
620	910	910	1 230	1 230	1 560	1 560	2 000	2 000	2 470	1 250	1 400

# Bearing Internal Clearance and Preload

NTN

## 8.3 Preload

Normally, bearings are used with a slight internal clearance under operating conditions. However, in some applications, bearings are given an initial load; this means that the bearings' internal clearance is negative before operation. This is called "preload" and is commonly applied to angular ball bearings and tapered roller bearings.

### 8.3.1 Purpose of preload

The following results are obtained by constant elastic compressive force applied to the contact points of rolling elements and raceway by providing preload.

(1) Bearing's rigidity increases, internal clearance tends not to be produced even

when heavy load is applied.

- (2) The particular frequency of the bearing increases and is **suitable for high-speed rotation**.
- (3) Shaft runout is suppressed; **rotation and position precision are enhanced**.
- (4) **Vibration and noise are controlled**.
- (5) Sliding of rolling elements by turning, spinning, or pivoting, is controlled and **smearing is reduced**.
- (6) **Fretting** produced by external vibration is **prevented**.

**Applying excessive preload could result in reduction of life, abnormal heating, or increase in turning torque. You should therefore consider the objectives before determining the amount of preload.**

Table 8.17 Preloading methods and characteristics

Method	Basic pattern	Applicable bearings	Object	Methods and characteristics	Applications
Fixed position preload		Angular contact ball bearing	Maintaining accuracy of rotating shaft, preventing vibration, increasing rigidity	Preloading is accomplished by a predetermined offset of the rings or by using spacers. For the standard preload see Table 8.18.	Grinding machines Lathes Milling machines Measuring instruments
		Tapered roller bearing Thrust ball bearing Angular contact ball bearing	Increasing bearing rigidity	Preload is accomplished by adjusting a threaded screw. The amount of preload is set by measuring the starting torque or axial displacement.	Lathes Milling machines Differential gears of automotives Printing machines Wheels
Constant pressure preload		Angular contact ball bearing Deep groove ball bearing	Maintaining accuracy and preventing vibration and noise with a constant amount of preload without being affected by loads or temperature	Preloading is accomplished by using coil or belleville springs. For deep groove ball bearings: 4 to 10 d N d: shaft diameter (mm) For angular contact ball bearings: see Table 8.18.	Internal grinding machines Electric motors High speed shafts in small machines Tension reels
		Tapered roller bearing (high speed)			
		Thrust spherical roller bearing Thrust cylindrical roller bearing Thrust ball bearing	Preload is primarily used to prevent smearing of opposite axial load side when bearing an axial load.	Preload is accomplished by using coil or belleville springs. Recommended preloads for thrust ball bearings: (larger value of the formulas below is adopted) $T_1 = 0.42 (nC_{0a})^{1.9} \times 10^{-13} \text{ N}$ $T_2 = 0.00083 C_{0a} \text{ N}$ Thrust spherical roller bearing, Thrust cylindrical roller bearing $T = 0.025 C_{0a}^{0.8} \text{ N}$	Rolling mills Extruding machines

Remarks  $T$  : preload, N

$n$  : Rotational speed, min<sup>-1</sup>

$C_{0a}$  : Basic static axial load rating, N

# Bearing Internal Clearance and Preload

NTN

## 8.3.2 Preloading methods and amounts

The most common method of applying preload on a bearing is to change the relative position of the inner and outer rings of the bearing in the axial direction while applying an axial load between bearings on opposing sides. There are two types of preload: fixed position preload and constant pressure preload.

The basic pattern, purpose and characteristics of bearing preloads are shown in Table 8.17.

### Fixed position preload

- 1) Fixed position preload is effective for positioning the two bearings and also for increasing the rigidity.
- 2) The amount of preload will change due to axial displacement caused by temperature differences between the shaft and housing and the inner and outer rings. Preload will also change as a result of displacement due to loads.

### Constant pressure preload

- 1) Due to the use of a spring for the constant pressure preload, the preloading amount can be kept constant, even when the distance between the two bearings fluctuates under the influence of operating heat and load.
- 2) Axial loads cannot be applied in the direction in which springs are contracted. Also, the standard preloading amount for the paired angular contact ball bearings is shown in Table 8.18. Light and normal preload is applied to prevent general vibration, and medium and heavy preload is applied especially when rigidity is required.

## 8.3.3 Preload and rigidity

The increased rigidity effect preloading has on bearings is shown in Fig. 8.2 through Fig. 8.4. When the offset inner rings of the two paired angular contact ball bearings are pressed together, each inner ring is displaced axially by the amount  $\delta_0$  and is thus given a preload,  $F_0$ , in the direction. Under this condition, when external axial load  $F_a$  is applied, bearing I will have an increased displacement by the amount  $\delta_a$  and bearing II will have a decreased displacement. At this time the loads applied to bearing I and II are  $F_I$  and  $F_{II}$ , respectively. Under the condition of no preload, bearing I will be displaced by the amount  $\delta_b$  when axial load  $F_a$  is applied. Since the amount of displacement,  $\delta_a$ , is less than  $\delta_b$ , it indicates a higher rigidity for  $\delta_a$ .

If a large axial load is to be applied, care must be taken because the preload may be released, causing problems such as heat generation, vibration, and rigidity decrease.

Three-row combinations and two-row combinations are different and have unique right and left displacement diagrams. Fig. 8.3 uses a two-row diagram for bearing I, and Fig. 8.4 uses a two-row diagram for bearing II. When preload  $F_0$  is applied, bearing I is displaced by  $\delta_{01}$  and bearing II is displaced by  $\delta_{02}$ . Under this condition, when axial load  $F_a$  is additionally applied, bearing I will have an increased displacement by the amount  $\delta_a$  and bearing II will have a decreased displacement.

## Bearing Internal Clearance and Preload

NTN





Fig. 8.2 Fixed position preload model diagram and preload diagram

## Bearing Internal Clearance and Preload

NTN




Fig. 8.3 Preload diagram of DBT combination (DT side load)




Fig. 8.4 Preload diagram of DBT combination (DB side load)

## Bearing Internal Clearance and Preload

NTN

Table 8.18 The normal preload of duplex angular contact ball bearings

Nominal bearing bore diameter <i>d</i> mm	Bearing series								
	79				70				
	Light preload GL	Normal preload GN	Medium preload GM	Heavy preload GH	Light preload GL	Normal preload GN	Medium preload GM	Heavy preload GH	
Over	Incl.								
—	12	—	39	78	147	29	78	147	196
12	18	—	49	147	196	29	78	147	294
18	32	29	98	196	294	49	147	294	490
32	40	49	147	294	590	78	294	590	885
40	50	49	196	390	685	78	294	590	980
50	65	78	245	490	785	147	490	885	1 470
65	80	98	390	785	1 180	147	590	1 470	1 960
80	90	147	490	980	1 470	196	885	1 960	2 940
90	95	147	490	980	1 470	196	885	1 960	2 940
95	100	196	685	1 270	1 960	196	885	1 960	2 940
100	105	196	685	1 270	1 960	294	980	2 450	3 900
105	110	196	685	1 270	1 960	294	980	2 450	3 900
110	120	245	885	1 780	2 940	294	980	2 450	3 900
120	140	294	980	1 960	3 450	490	1 470	3 450	5 900
140	150	390	1 270	2 450	4 400	490	1 470	3 450	5 900
150	160	390	1 270	2 450	4 400	685	2 450	4 900	8 850
160	170	390	1 270	2 450	4 400	685	2 450	4 900	8 850
170	180	490	1 770	3 450	5 900	685	2 450	4 900	8 850
180	190	490	1 770	3 450	5 900	885	3 450	6 850	9 800
190	200	685	2 450	4 900	7 850	885	3 450	6 850	9 800

### 8.4 Necessary minimum load

In general, when a bearing is operated under no load or a very light load, slippage may occur between the rolling element and the raceway (see "8.3.1 Purpose of preload"). In the case of high-speed rotation, a gyro slip or a cage slip may cause early damage such as smearing. In this case it is necessary to apply a minimum load to prevent slippage during bearing operation.

A rough standard for the necessary minimum radial loads for radial bearings is shown below.

Ball bearings (except self-aligning ball bearings): :  $0.023C_{0r}$   
 Self-aligning ball bearings:  $0.018C_{0r}$   
 Roller bearings :  $0.040C_{0r}$

Where,

$C_{0r}$ : Basic static rating load, N

\* Consult with NTN for the necessary minimum axial loads for thrust bearings.

## Bearing Internal Clearance and Preload

NTN

Unit: N

Bearing series							
72, 72B				73, 73B			
Light preload GL	Normal preload GN	Medium preload GM	Heavy preload GH	Light preload GL	Normal preload GN	Medium preload GM	Heavy preload GH
29	98	196	294	49	147	294	390
29	98	294	390	49	147	390	490
78	196	490	785	98	294	590	980
98	390	885	1 470	147	490	980	1 960
147	590	980	1 960	196	785	1 470	2 450
196	785	1 470	2 940	294	980	2 450	3 900
294	980	2 450	3 900	390	1 470	3 450	4 900
490	1 470	2 940	4 900	590	1 960	3 900	5 900
490	1 960	3 900	5 900	590	2 450	4 900	6 850
490	1 960	3 900	5 900	590	2 450	4 900	6 850
590	2 450	4 900	7 850	685	2 940	5 900	8 850
590	2 450	4 900	7 850	685	2 940	5 900	8 850
590	2 450	4 900	7 850	685	2 940	5 900	8 850
785	2 940	5 900	9 800	885	3 900	7 850	11 800
785	2 940	5 900	9 800	885	3 900	7 850	11 800
885	3 900	7 850	11 800	980	4 400	8 850	13 700
885	3 900	7 850	11 800	980	4 400	8 850	13 700
885	3 900	7 850	11 800	980	4 400	8 850	13 700
980	4 400	8 850	13 700	1 470	5 900	11 800	15 700
980	4 400	8 850	13 700	1 470	5 900	11 800	15 700